

SURGEX®

REYNOLDS
OF
RAPHOE

SURGEX

EURO PRICELIST

AUGUST 2015 (HA)

THIS PRICELIST REPLACES ALL EARLIER PUBLISHED PRICELISTS

Office



Meetinghouse Street,
Raphoe,
Co. Donegal
Tel: 00353 (0)74 91 45179
Fax: 00353 (0)74 91 45499
Web: www.ror.ie

Contact Information

Brian McGrath
Tel: 087 2677988
Email: brian@ror.ie

Liam Reynolds
Email: liam@ror.ie

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
RACK-MOUNT SURGE ELIMINATION AND POWER CONDITIONING				
	SX1213i	13-amp load-capable and have 10 industrial grade earthed AC receptacles (8 switched, 2 always on) plus a front panel courtesy receptacle. Features both common mode and normal mode Impedance Tolerant® EMI/RFI filtering for a comprehensive power conditioning solution	€558.60	€687.08
	SX1213RLi	Front-panel connectors and a dimmer control for 2 Littlite® gooseneck lamps provides guaranteed surge elimination and power conditioning for audio, video, broadcast and computer equipment. The units are 13 amp load-capable and have 10 industrial grade earthed AC receptacles (8 switched, 2 always on). features both common mode and normal mode Impedance Tolerant® EMI/RFI filtering, SurgeX ICE® -Inrush Current Elimination and COUVS® -Catastrophic Over/Under Voltage Shutdown for a complete power conditioning solution.	€600.60	€738.74
	SX1213RTi	Switched receptacles can be controlled with an applied voltage (5-30 vdc) or contact closure switch connected to the Phoenix connector on the back panel. The connector can also be used to cascade multiple units or provide status to a central controller. Provides guaranteed surge elimination and power conditioning for audio, video, broadcast and computer equipment. The units are 13 amp load-capable and have 10 industrial grade earthed AC receptacles (8 switched, 2 always on) plus a front panel courtesy receptacle. Features both common mode and normal mode Impedance Tolerant® EMI/RFI filtering; SurgeX ICE® -Inrush Current Elimination and COUVS® -Catastrophic Over/Under Voltage Shutdown for a complete power conditioning solution.	€600.60	€738.74
	SX2213	Six grounded industrial grade AC outlets on the rear panel, with five switchable and one permanently on.	€600.60	€738.74
	SX2213RL	Six grounded industrial grade AC outlets on the rear panel, with five switchable and one permanently on. Task lamp connectivity on the front panel with dimmer.	€670.60	€824.84
	SX2213RT	Six grounded industrial grade AC outlets on the rear panel, plus a single AC courtesy receptacle on the front panel. Remote control capability.	€670.60	€824.84

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
SURGE ELIMINATION AND POWER CONDITIONING				
	SXN1230	Surge eliminator and power conditioner in a magnetically shielded NEMA enclosure. Barrier strip inputs and outputs for hardwired connections. Maximum load 20A.	€488.60	€600.98
	SA-132	Surge eliminator and power conditioner in a magnetically shielded stand-alone steel enclosure. 2 always on industrial grade BS1363 mains outlets.	€404.60	€497.66